

THE SPECIALTY MFG. CO.

5858 Centerville Road St. Paul, MN 55127 **SMC** will quote alternate materials or customize our standard products when quantities ensure competitive pricing. **Contact Customer Service** at (651) 653-0599

FAX - (651) 653-0989

E-Mail - info@specialtymfg.com

928 SERIES SWIVEL 1/4" to 3/8" NPT



Design Considerations

- The 928 Swivel promotes a compact design for 1/4 NPT and 3/8 NPT fluid hose and air line applications
- Maximum Operating Pressure 1500 psi
- Polyphenylene Sulfide Thrust Bearing for low torque with a Buna-N U-Cup seal is standard
- Viton® seals are available
- Seal Repair Kits are available

Type Inlet Outlet Seal Inline Swivel 1/4 Female NPT 1/4 Male NPT Viton®

Part Numbers are a description of the swivel as read left to right, Inlet Port to Outlet Port. SWIVEL 928-4F4M-F= Brass Inline Swivel, 1/4 Female NPT x 1/4 Male NPT, Viton® Seals

Specifications

Material	BODY and ENDS - Nickel Plated Brass, THRUST BEARING - Glass Filled Polyphenylene Sulfide
Inlet End	1/4 Female NPT 3/8 Female NPT
Outlet End	1/4 Male NPT, 1/4 Female NPT 3/8 Male NPT, 3/8 Female NPT
Seal Option	Buna-N, Fluoroelastomer (Viton®)
Through Hole Diameter	0.312
Maximum Operating Pressure	1500 psi
Maximum Operating Temperature	180 °F
Compatibility Statement	It is the sole responsibility of the system designer and user to select products suitable for their specific application requirements and to ensure proper installation, operation, and maintenance of these products. Material compatibility, product ratings and application details should be considered in the selection. Improper selection or use of products described herein can cause personal injury or product damage.
Pricing and Minimum Order Requirement	Our Minimum Order Requirements are \$100.00 Domestic - \$250.00 International. Pricing is based on the quantity ordered. Please indicate a typical order quantity or Estimated Annual Usage when requesting pricing.
Repair Kit / Replacement Parts	928 Repair Kit - Buna (5230690)

928 Repair Kit - Viton (5231190)