

THE SPECIALTY MFG. CO. 5858 Centerville Road St. Paul, MN 55127

SMC will quote alternate materials or customize our standard products when quantities ensure competitive pricing.

Contact Customer Service at (651) 653-0599

FAX - (651) 653-0989

E-Mail - info@specialtymfg.com

ADAPTORS and T-FITTINGS 10-32, 1/16" to 1/8" BARB, 1/4" to 3/8" COMPRESSION



Fittings can be ordered by Description or Part Number

*** 10-32 Male Fittings require Nylon Washer Seal - Part Number 205820 ***

Compatibility Statement:

It is the sole responsibility of the system designer and user to select products suitable for their specific application requirements and to ensure proper installation, operation, and maintenance of these products. Material compatibility, product ratings and application details should be considered in the selection. Improper selection or use of products described herein can cause personal injury or product damage.

Pricing and Minimum Order Requirement:

Our Minimum Order Requirements are \$100.00 Domestic - \$250.00 International. Pricing is based on the quantity ordered. Please indicate a typical order quantity or Estimated Annual Usage when requesting pricing.

Results 1 - 13 of 13

| Part Number | Description | Material | Size | Thru Diamater | Overall Length |
|----------------|--|------------------------|---|------------------|-------------------|
| 201089 | 201089 FTG 10-32F x 10-32M larger image | Nickel Plated Brass | 5/16 Hex, 10-32 Female x 10-32 Male (Requires 205820 Nylon Washer) | 0.104 in | 0.366 in |
| 200930 | 200930 FTG 10-32M x 10-32M larger image | Nickel Plated Brass | 1/4 Hex, 10-32 Male x 10-32 Male (Requires 2 - 205820 Nylon Washers) | 0.104 in | 0.385 in |
| 221059 | 221059 FTG 1/16B TEE SOLDERED larger image | Brass | 1/4 Round Body, 1/16 Barb x 1/16 Barb x 1/16 Barb | 0.052 in | 0.845 in |

| 201135 | 201135 FTG 1/8B TEE SOLDERED larger image | Nickel Plated Brass | 5/16 Round Body, 1/8 Barb x 1/8 Barb x 1/8 Barb | 0.104 in | 1.094 in |
|--------|--|------------------------|---|----------|----------|
| 250790 | 250790 FTG 1/16 TEE larger image | Nickel Plated Brass | 3/8 Square Body, 1/16 Barbs with Nylon Washer (3) | 0.052 in | 1.175 in |
| 250690 | N/A | Nickel Plated Brass | 3/8 Square Body, 1/8 Barbs with Nylon Washer (3) | 0.104 in | 1.375 in |
| 249890 | 249890 FTG 1/16B CROSS larger image | Nickel Plated Brass | 3/8 Square Body, 1/16 Barbs with Nylon Washer (4) | 0.052 in | 1.175 in |
| 249790 | 249790 FTG 1/8B CROSS larger image | Nickel Plated Brass | 3/8 Square Body, 1/8 Barbs with Nylon Washer (4) | 0.104 in | 1.375 in |
| 200910 | 200910 FTG 1/2 MNPT x 3/8 CC larger image | Brass | 7/8 Hex, 1/2 Male NPT x 3/8 Male Compression Stem | 0.281 in | 1.875 in |
| 200920 | 200920 FTG 1/8 MNPT x 3/8 CC larger image | Brass | 7/16 Hex, 1/8 Male NPT x 3/8 Male Compression Stem | 0.250 in | 1.125 in |
| 200941 | 200941 FTG 10-32F x 1/4 COMPRESSION larger image | Brass | 1/4 Hex, 10-32 Female x 1/4 Male Compression Stem | 0.159 in | 0.700 in |
| 200940 | 200940 FTG 10-32F x 3/8 COMPRESSION larger image | Brass | 3/8 Hex, 10-32 Female x 3/8 Male Compression Stem | 0.159 in | 0.700 in |

205820 205820 WASHER FLAT NYLON 10-32 larger image

Nylon (10-32 Male Seal) N/A

0.030 in

Results 1 - 13 of 13